

**From:** [Fitzsimmons, Charlie](#)  
**To:** [Johnson, Larry-C](#)  
**Subject:** FW: FPN E043Z1 - SYKESVILLE ERM's Site Review  
**Date:** Tuesday, May 02, 2017 11:10:06 AM

---

Sincerely,  
Charlie Fitzsimmons, FOSC  
USEPA III  
Environmental Science Center  
Ft. Meade, Md 20755  
443.223.9774(m)

-----Original Message-----

From: Fitzsimmons, Charlie  
Sent: Wednesday, April 22, 2015 10:09 AM  
To: Devine, Sean MSTC <[Sean.G.Devine@uscg.mil](mailto:Sean.G.Devine@uscg.mil)>  
Cc: [patrick.e.ryan@uscg.mil](mailto:patrick.e.ryan@uscg.mil)  
Subject: RE: FPN E043Z1 - SYKESVILLE ERM's Site Review

Sean  
That's correct.

Sincerely,  
Charlie Fitzsimmons, FOSC  
Office of Preparedness and Response  
Environmental Science Center  
USEPA - III  
701 Mapes Rd.  
Ft. Meade, Md. 20755  
4103053027

-----Original Message-----

From: Devine, Sean MSTC [<mailto:Sean.G.Devine@uscg.mil>]  
Sent: Tuesday, April 21, 2015 9:23 AM  
To: Fitzsimmons, Charlie  
Cc: [patrick.e.ryan@uscg.mil](mailto:patrick.e.ryan@uscg.mil)  
Subject: RE: FPN E043Z1 - SYKESVILLE ERM's Site Review

Good Morning,

We are currently working with the RP on this site and Pat wanted me to verify with you the area's you have highlighted as being able to be contested. We are looking at it from the perspective that if it is contestable then we should potentially not bill the RP for it.

So with what you have provided the RP may not be liable for some of the costs associated with the site.

Is that your standpoint?

-----Original Message-----

From: Fitzsimmons, Charlie [<mailto:Fitzsimmons.Charlie@epa.gov>]  
Sent: Thursday, January 29, 2015 11:25 AM  
To: Devine, Sean MSTC

Subject: RE: FPN E043Z1 - SYKESVILLE ERM's Site Review

Sean

Please see my reply to your request attached. Please feel free to contact me should you need additional information or clarification. tks

Sincerely,  
Charlie Fitzsimmons, FOSC  
Office of Preparedness and Response  
Environmental Science Center  
USEPA - III  
701 Mapes Rd.  
Ft. Meade, Md. 20755  
4103053027

-----Original Message-----

From: Devine, Sean MSTC [<mailto:Sean.G.Devine@uscg.mil>]  
Sent: Wednesday, January 14, 2015 9:05 AM  
To: Fitzsimmons, Charlie  
Subject: RE: FPN E043Z1 - SYKESVILLE ERM's Site Review

Yes,

Thanks

-----Original Message-----

From: Fitzsimmons, Charlie [<mailto:Fitzsimmons.Charlie@epa.gov>]  
Sent: Wednesday, January 14, 2015 9:04 AM  
To: Devine, Sean MSTC  
Subject: Re: FPN E043Z1 - SYKESVILLE ERM's Site Review

Sean

I hope to have something by end of this month. Is that ok?

Sincerely,

Charlie Fitzsimmons, OSC  
Region 3, Ft. Meade, Md  
4432239774(m)  
4103053027(o)

Sent from my iphone

> On Jan 14, 2015, at 8:53 AM, Devine, Sean MSTC <[Sean.G.Devine@uscg.mil](mailto:Sean.G.Devine@uscg.mil)> wrote:

>

> Good Morning Charlie,

>

> Were you able to look at the reports and make a determination on some of the costs?

>

>

> -----Original Message-----

> From: Fitzsimmons.Charlie@epa.gov [<mailto:Fitzsimmons.Charlie@epa.gov>]

> Sent: Thursday, October 16, 2014 1:46 PM

> To: Devine, Sean MSTC

> Subject: RE: FPN E043Z1 - SYKESVILLE ERM's Site Review

>

> Sean

> Fogle's Well Drilling and Pump Service, (see Notice of Federal Interest), Fogle's Excavating and Paving, and Fogle's Septic Clean Inc (see EPA's Admin Order on Consent) were all names that they used. The address remained the same however.

>

> All of the costs incurred by the Corps of Engineers under an approved PRFA with EPA were certified as being "services performed and articles were delivered and that payment requested as correct" by Corps Contract Officer Representative officials. To the best of my knowledge, Sub contractor invoices were not included but were certified as per previous statement.

>

> I'll take a look at the substance of the report however my initial thoughts are that this action was 10 years ago so it may take some time.

>

> Please let me know if there is anything else you need.

>

>

>

> Sincerely,

> Charlie Fitzsimmons, FOSC

> Office of Preparedness and Response

> Environmental Science Center

> USEPA - III

> 701 Mapes Rd.

> Ft. Meade, Md. 20755

> 4103053027

>

> -----Original Message-----

> From: Sean.G.Devine@uscg.mil [<mailto:Sean.G.Devine@uscg.mil>]

> Sent: Wednesday, October 15, 2014 3:08 PM

> To: Fitzsimmons, Charlie

> Subject: FPN E043Z1 - SYKESVILLE ERM's Site Review

>

> Good Afternoon Charlie,

>

> Attached is ERM's assessment of the site's removal operations and associated attachments. The RP has had ERM look into the site as a whole. We are looking for your feedback in regards to their report.

>

> The previous case officers have Fogle's Well and Drilling as being the potential RP. Is that correct or is it Fogle's Septic Clean, INC?

>

> Also the RP has asked for invoices for the subcontractors Plexius hired. Are those invoices available?

>

>

> Respectfully,

> MSTC Sean Devine

> Team IV Case Officer

>

> National Pollution Funds Center (CM)

> United States Coast Guard Stop 7100

> 4200 Wilson Blvd. Ste 1000

> Arlington, VA 20598-7100

> Phone:(703)872-6082

> Fax: (703)872-6133

>

>

>

>

>

